



NCPDP VERSION D.0 PACE Payer Sheet

** Start of Request Claim Billing/Claim Rebill (B1/B3) Payer Sheet **

GENERAL INFORMATION

Payer Name: Pharmacy Data Management, Inc.		Date: August 2020
Plan Name/Group Name: PACE	BIN: 016110	PCN: PACE
Processor: Pharmacy Data Management, Inc.		
Effective as of: November 1, 2014	NCPDP Telecommunication Standard Version/Release #: D.0	
NCPDP Data Dictionary Version Date: Oct 2012	NCPDP External Code List Version Date: Oct 2012	
Contact/Information Source: www.pdmi.com		
Certification Testing Window: n/a		
Certification Contact Information: n/a		
Provider Relations Help Desk Info: 1-800-800-PDMI (7364)		
Other versions supported:		

OTHER TRANSACTIONS SUPPORTED

Payer: Please list each transaction supported with the segments, fields, and pertinent information on each transaction.

Transaction Code	Transaction Name
B1	Billing
B2	Reversal
B3	Re-Bill

FIELD LEGEND FOR COLUMNS

Payer Usage Column	Value	Explanation	Payer Situation Column
MANDATORY	M	The Field is mandatory for the Segment in the designated Transaction.	No
REQUIRED	R	The Field has been designated with the situation of "Required" for the Segment in the designated Transaction.	No
QUALIFIED REQUIREMENT	RW	"Required when". The situations designated have qualifications for usage ("Required if x", "Not required if y").	Yes
NOT USED	NA	The field is not used for the Segment in the designated Transaction.	No



CLAIM BILLING/CLAIM REBILL TRANSACTION

The following lists the segments and fields in a Claim Billing, Claim Reversal or Claim Rebill Transaction for the NCPDP Telecommunication Standard Implementation Guide Version D.Ø.

Transaction HEADER Segment	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Payer Issued		
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Switch/VAN issued		
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Not used	X	

Field #	Transaction HEADER Segment NCPDP Field Name	Value	Payer Usage	Claim Billing/Claim Rebill Payer Situation
1Ø1-A1	BIN NUMBER	016110	M	
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	B1, B3	M	
1Ø4-A4	PROCESSOR CONTROL NUMBER		M	PACE
1Ø9-A9	TRANSACTION COUNT	1	M	
2Ø2-B2	SERVICE PROVIDER ID QUALIFER	01 - NPI	M	
2Ø1-B1	SERVICE PROVIDER ID	NPI	M	
4Ø1-D1	DATE OF SERVICE	Format = CCYYMMDD	M	
11Ø-AK	SOFTWARE VENDOR/CERTIFICATION ID	Blank	M	

Transaction INSURANCE Segment	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	

Field #	Insurance Segment Segment Identification (111-AM) = "Ø4"	Value	Payer Usage	Claim Billing/Claim Rebill Payer Situation
3Ø2-C2	CARDHOLDER ID		M	



	Insurance Segment Segment Identification (111-AM) = "Ø4"			Claim Billing/Claim Rebill
3Ø1-C1	GROUP ID	99991412	R	<i>Imp Guide:</i> Required if necessary for state/federal/regulatory agency programs. Required if needed for pharmacyclaim processing and payment. <i>Payer Requirement:</i> Varies by Plan & Printed on Id Card
3Ø3-C3	PERSON CODE		RW	<i>Imp Guide:</i> Required if needed to uniquely identify the family members within the Cardholder ID.
306-C6	PATIENT RELATIONSHIP CODE	1,2,3	R	<i>Imp Guide:</i> Required if needed to uniquely identify the relationship of the Patient to the Cardholder.
997-G2	CMS PART D DEFINED QUALIFIED FACILITY		RW	<i>Imp Guide:</i> Required if specified in trading partner agreement. <i>Payer Requirement:</i> May be submitted by Long Term Care Pharmacies

Transaction PATIENT Segment	Check	Claim Billing/Claim Rebill If Situational, <i>Payer Situation</i>
This Segment is always sent	X	
This Segment is situational		

	Patient Segment Segment Identification (111-AM) = "Ø1"			Claim Billing/Claim Rebill
<i>Field</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
3Ø4-C4	DATE OF BIRTH		R	
3Ø5-C5	PATIENT GENDER CODE		R	
31Ø-CA	PATIENT FIRST NAME			<i>Imp Guide:</i> Required when the patient has a first name.
311-CB	PATIENT LAST NAME		R	
3Ø7-C7	PLACE OF SERVICE	1		<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, or patient financial responsibility.



	Patient Segment Segment Identification (111-AM) = "Ø1"			Claim Billing/Claim Rebill
Field	NCPDP Field Name	Value	Payer Usage	Payer Situation
384-4X	PATIENT RESIDENCE	0,1,3,4,6,9,11 0=Not Specified 1=Home 3=Nursing Facility 4=Assisted Living Facility 6= Group Home 9= Intermediate care facilities for the mentally retarded (ICF/MR) and Institutes for mental disease (IMD) 11=Hospice	R	Imp Guide: Effective 1/1/2014, if no value is submitted we will reject the claim.. Payer Requirement:

Transaction CLAIM Segment	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	
This payer supports partial fills		
This payer does not support partial fills	X	

	Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER		M	Imp Guide: For Transaction Code of "B1", in the Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	
436-E1	PRODUCT/SERVICE ID QUALIFIER		M	
4Ø7-D7	PRODUCT/SERVICE ID		M	
442-E7	QUANTITY DISPENSED		R	
46Ø-ET	QUANTITY PRESCRIBED		RW	Will only be required on Schedule II drugs.
4Ø3-D3	FILL NUMBER		R	
4Ø5-D5	DAYS SUPPLY		R	
4Ø6-D6	COMPOUND CODE		R	See Compound Segment for support of multi-ingredient compounds when compound = 2.
408-D8	DISPENSE AS WRITTEN (DAW)/PRODUCT SELECTION CODE		R	
414-DE	DATE PRESCRIPTION WRITTEN		R	
415-DF	NUMBER OF REFILLS AUTHORIZED		RW	Imp Guide: Required if necessary for plan benefit administration.
419-DJ	PRESCRIPTION ORIGIN CODE		RW	Imp Guide: Required if necessary for plan benefit administration.



	Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
354-NX	SUBMISSION CLARIFICATION CODE COUNT	Maximum count of 3.	RW	Imp Guide: Required if Submission Clarification Code (42Ø-DK) is used.
42Ø-DK	SUBMISSION CLARIFICATION CODE	3, 4, 5, 7, 8, 13, 19, 21 – 36, 42, 43, 45,46,47,48, 49 3 - Vacation Supply 4 - Lost Prescription 5 - Therapy Change 7 - Medically Necessary 8 - Process Compound For Approved Ingredients 13 - Payer-Recognized Emergency/Disaster Assistance Request 19- Split Billing 21- LTC Dispensing: 14 days or less not applicable 22- LTC Dispensing: 7 days 23- LTC Dispensing: 4 days 24- LTC Dispensing: 3 days 25- LTC Dispensing : 2 days 26- LTC Dispensing: 1 day 27- LTC Dispensing: 4-3 days 28- LTC Dispensing: 2-2-3 days 29- LTC Dispensing: daily and 3-day weekend 30- LTC Dispensing: Per shift dispensing	RW	Imp Guide: Required when pharmacist approves to process Compound for approved ingredients only or when submitting for LTC Short Cycle Dispensing or when submitting a split billing claim from a LTC.



	Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
		31- LTC Dispensing: Per med pass dispensing 32- LTC Dispensing: PRN on demand 33- LTC Dispensing: 7 day or less dispensing method not listed above 34- LTC Dispensing: 14 day or less 35- LTC Dispensing: 8-14 day dispensing method not listed above 36- LTC Dispensing: dispensed outside short cycle 42 - Prescriber ID Submitted has been validated, is active 43 - Prescriber Id submitted, associated DEA renewed 44- Plan's Prescriber data base indicates the associated DEA to submitted Prescriber ID is not found 45 - Prescriber id submitted, associated DEA is valid Hospital DEA with days 46 - Prescriber Id submitted, associated DEA has rights for DEA class 47 - Shortened Days Supply Fill - only used to request an override to plan limitations when a shortened days supply is being dispensed. 48 - Fill Subsequent to a Shortened Days Supply Fill - only used to request an override to plan limitations when a fill subsequent to a shortened days supply is being dispensed. 49 - Prescriber does not		



Claim Segment Identification (111-AM) = "Ø7"			Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
		currently have an active Type 1 NPI		
3Ø8-C8	OTHER COVERAGE CODE	2,3,4	RW	<i>Imp Guide:</i> Required if needed by receiver, to communicate a summation of other coverage information that has been collected from other payers. Required for Coordination of Benefits.
418-DI	LEVEL OF SERVICE		RW	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, or patient financial responsibility.
461-EU	PRIOR AUTHORIZATION TYPE CODE		RW	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, or patient financial responsibility.
462-EV	PRIOR AUTHORIZATION NUMBER SUBMITTED		RW	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, or patient financial responsibility.
147-U7	PHARMACY SERVICE TYPE	1 - 8, 99 1=Community//Retail Pharmacy Services 2=Compounding Pharmacy Services 3=Home Infusion Therapy Provider Services 4=Institutional Pharmacy Services 5=Long Term Care Pharmacy Services 6=Mail Order Pharmacy Services 7=Managed Care	R	<i>Imp Guide:</i> Effective 1/1/2014, if no value is submitted, we will reject the claim.
		Organization Pharmacy Services 8=Specialty Care Pharmacy Services 99=Other		



Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
429-DT	SPECIAL PACKAGING INDICATOR	0 - 8 0- Not Specified 1- Not Unit Dose 2- Manufacturer Unit Does 3- Pharmacy Unit Does 4- Pharmacy UnitDoes Patient Compliance Packaging 5- PharmacyMulti-drug Patient Compliance Packaging 6- Remote device unitdoes 7- Remote device Multi- drug compliance 8- Manufacturer unit of use packaging (Not Unit Dose)	RW	Required for LTC Short Cycle Dispensing

Transaction PRESCRIBER Segment	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	
This Segment is situational		

Prescriber Segment Segment Identification (111-AM) = "Ø3"			Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
466-EZ	PRESCRIBER ID QUALIFIER	01 - NPI 12 - DEA	R	<i>Imp Guide:</i> Required if Prescriber ID (411-DB) is used.
411-DB	PRESCRIBER ID		R	<i>Imp Guide:</i> Required if this field could result in different coverage or patient financial responsibility. Required if necessary for state/federal/regulatory agency programs.
				<i>Payer Requirement: NPI or DEA</i>



Transaction COB Segment	Check	Claim Billing/Claim Rebill If Situational, <i>Payer Situation</i>
This Segment is always sent		
This Segment is situational		MSP not supported electronically at this time. MSP claims are to be submitted directly to Plan via Manual Claim Form.

Transaction DUR/PPS Segment	Check	Claim Billing/Claim Rebill If Situational, <i>Payer Situation</i>
This Segment is always sent	X	Based on Pharmacy determination for clinical or vaccine
This Segment is situational		

	DUR/PPS Segment Segment Identification (111-AM) = "Ø8"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
473-7E	DUR/PPS CODE COUNTER	Maximum of 9 occurrences.	R	<i>Imp Guide:</i> Required if DUR/PPS Segment is used.
439-E4	REASON FOR SERVICE CODE		RW	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review outcome. Required if this field affects payment for or documentation of professional pharmacy service.
44Ø-E5	PROFESSIONAL SERVICE CODE		RW	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review outcome. Required if this field affects payment for or documentation of professional pharmacy service. <i>Payer Requirement:</i> Value = MA (Medication Administered), is required when submitting a claim for vaccine administration
441-E6	RESULT OF SERVICE CODE		RW	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review outcome. Required if this field affects payment for or documentation of professional pharmacy service.



	DUR/PPS Segment Segment Identification (111-AM) = "08"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
474-8E	DUR/PPS LEVEL OF EFFORT		RW	<p><i>Imp Guide:</i> Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review outcome.</p> <p><i>Payer Requirement:</i> Value of 11,12,13,14,15 is to be used in compound prescription claim processing for additional reimbursement for Level of Effort.</p>

Transaction PRICING Segment	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	

	Pricing Segment Segment Identification (111-AM) = "11"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
409-D9	INGREDIENT COST SUBMITTED		R	
412-DC	DISPENSING FEE SUBMITTED		RW	<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (430-DU) calculation.
438-E3	INCENTIVE AMOUNT SUBMITTED		RW	<p><i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (430-DU) calculation.</p> <p><i>Payer Requirement:</i> Required when submitting a claim for a vaccine drug and administrative fee.</p>
481-HA	FLAT SALES TAX AMOUNT SUBMITTED		RW	<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (430-DU) calculation.
482-GE	PERCENTAGE SALES TAX AMOUNT SUBMITTED		RW	<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (430-DU) calculation.



Pricing Segment Segment Identification (111-AM) = "11"			Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
483-HE	PERCENTAGE SALES TAX RATE SUBMITTED		RW	<i>Imp Guide:</i> Required if Percentage Sales Tax Amount Submitted (482- GE) and Percentage Sales Tax Basis Submitted (484-JE) are used. Required if this field could result in different pricing. Required if needed to calculate Percentage Sales Tax Amount Paid (559-AX).
484-JE	PERCENTAGE SALES TAX BASIS SUBMITTED		RW	<i>Imp Guide:</i> Required if Percentage Sales Tax Amount Submitted (482- GE) and Percentage Sales Tax Rate Submitted (483-HE) are used. Required if this field could result in different pricing. Required if needed to calculate Percentage Sales Tax Amount Paid (559-AX).
426-DQ	USUAL AND CUSTOMARY CHARGE		R	<i>Imp Guide:</i> Required if needed per trading partner agreement.
430-DU	GROSS AMOUNT DUE		R	
423-DN	BASIS OF COST DETERMINATION		R	<i>Imp Guide:</i> Required if needed for receiver claim/encounter adjudication.

Transaction Compound Segment	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	This Segment is required when submitting a claim for Multi Ingredient Claim Transaction (Compound Code = 2)

Compound Segment Segment Identification (111-AM) = "10"			Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
450-EF	COMPOUND DOSAGE FORM DESCRIPTION CODE		M	
451-EG	COMPOUND DISPENSING UNIT FORM INDICATOR		M	



Compound Segment Segment Identification (111-AM) = "1Ø"				Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
447-EC	COMPOUND INGREDIENT COMPONENT COUNT	Maximum 25 ingredients	M	
488-RE	COMPOUND PRODUCT ID QUALIFIER		M	
489-TE	COMPOUND PRODUCT ID		M	
448-ED	COMPOUND INGREDIENT QUANTITY		M	
449-EE	COMPOUND INGREDIENT DRUG COST		R	<i>Imp Guide:</i> Required if needed for receiver claim determination when multiple products are billed.

**** End of Request Claim Billing/Claim Rebill (B1/B3) Payer Sheet Template****

RESPONSE CLAIM BILLING/CLAIM REBILL PAYER SHEET

CLAIM BILLING/CLAIM REBILL ACCEPTED/PAID (OR DUPLICATE OF PAID) RESPONSE

**** Start of Response Claim Billing/Claim Rebill (B1/B3) Payer Sheet Template****

*****CLAIM BILLING/CLAIM REBILL PAID (OR DUPLICATE OF PAID) RESPONSE *****

The following lists the segments and fields in a Claim Billing or Claim Rebill response (Paid or Duplicate of Paid) Transaction for the NCPDP Telecommunication Standard Implementation Guide Version D.Ø.

Response Transaction HEADER Segment	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

Response Transaction Header Segment				Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	B1, B3	M	
1Ø9-A9	TRANSACTION COUNT	Same value as in request	M	



Response Transaction Header Segment				Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response MESSAGE Segment	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	
This Segment is situational		

Response Message Segment Segment Identification (111-AM) = "20"				Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	MESSAGE		R	Imp Guide: Required if text is needed for clarification or detail.

Response STATUS Segment	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	

Response Status Segment Segment Identification (111-AM) = "21"				Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	P=Paid D=Duplicate of Paid	M	
503-F3	AUTHORIZATION NUMBER		RW	Imp Guide: Required if needed to identify the transaction.
547-5F	APPROVED MESSAGE CODE COUNT	Maximum count of 5.	RW	Imp Guide: Required if Approved Message Code (548-6F) is used.



	Response Status Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
548-6F	APPROVED MESSAGE CODE		RW	<i>Imp Guide:</i> Required if Approved Message Code Count (547-5F) is used and the sender needs to communicate additional follow up for a potential opportunity.
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail.
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	<i>Imp Guide:</i> Required if Help Desk Phone Number (550-8F) is used.
550-8F	HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver.

Response CLAIM Segment	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

	Response Claim Segment Identification (111-AM) = "22"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	<i>Imp Guide:</i> For Transaction Code of "B1", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).



	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Response PRICING Segment	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	

	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
505-F5	PATIENT PAY AMOUNT		R	
506-F6	INGREDIENT COST PAID		R	
507-F7	DISPENSING FEE PAID		RW	<i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement.
557-AV	TAX EXEMPT INDICATOR		RW	<i>Imp Guide:</i> Required if the sender (health plan) and/or patient are tax exempt and exemption applies to this billing.
558-AW	FLAT SALES TAX AMOUNT PAID		RW	<i>Imp Guide:</i> Required if Flat Sales Tax Amount Submitted (481-HA) is greater than zero (Ø) or if Flat Sales Tax Amount Paid (558-AW) is used to arrive at the final reimbursement.
559-AX	PERCENTAGE SALES TAX AMOUNT PAID		RW	<i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement. Required if Percentage Sales Tax Amount Submitted (482-GE) is greater than zero (Ø). Required if Percentage Sales Tax Rate Paid (560-AY) and Percentage Sales Tax Basis Paid (561-AZ) are used.
560-AY	PERCENTAGE SALES TAX RATE PAID		RW	<i>Imp Guide:</i> Required if Percentage Sales Tax Amount Paid (559-AX) is greater than zero (Ø).



	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
561-AZ	PERCENTAGE SALES TAX BASIS PAID		RW	<i>Imp Guide:</i> Required if Percentage Sales Tax Amount Paid (559-AX) is greater than zero (Ø).
521-FL	INCENTIVE AMOUNT PAID		RW	<i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement. Required if Incentive Amount Submitted (438-E3) is greater than zero (Ø).
566-J5	OTHER PAYER AMOUNT RECOGNIZED		RW	<i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement. Required if Other Payer Amount Paid (431-DV) is greater than zero (Ø) and Coordination of Benefits/Other Payments Segment is supported.
509-F9	TOTAL AMOUNT PAID		R	
522-FM	BASIS OF REIMBURSEMENT DETERMINATION		RW	<i>Imp Guide:</i> Required if Ingredient Cost Paid (506-F6) is greater than zero (Ø). Required if Basis of Cost Determination (432-DN) is submitted on billing.
523-FN	AMOUNT ATTRIBUTED TO SALES TAX		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (505-F5) includes sales tax that is the financial responsibility of the member but is not also included in any of the other fields that add up to Patient Pay Amount.
512-FC	ACCUMULATED DEDUCTIBLE AMOUNT		RW	<i>Imp Guide:</i> Provided for informational purposes only.
513-FD	REMAINING DEDUCTIBLE AMOUNT		RW	<i>Imp Guide:</i> Provided for informational purposes only.
514-FE	REMAINING BENEFIT AMOUNT		RW	<i>Imp Guide:</i> Provided for informational purposes only.
517-FH	AMOUNT APPLIED TO PERIODIC DEDUCTIBLE		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (505-F5) includes deductible
518-FI	AMOUNT OF COPAY		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (505-F5) includes copay as patient financial responsibility.



	Response Pricing Segment Identification (111-AM) = "23"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
52Ø-FK	AMOUNT EXCEEDING PERIODIC BENEFIT MAXIMUM		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes amount exceeding periodic benefit maximum.
346-HH	BASIS OF CALCULATION–DISPENSING FEE		RW	<i>Imp Guide:</i> Required if Dispensing Status (343-HD) on submission is "P" (Partial Fill) or "C" (Completion of Partial Fill).
347-HJ	BASIS OF CALCULATION–COPAY		RW	<i>Imp Guide:</i> Required if Dispensing Status (343-HD) on submission is "P" (Partial Fill) or "C" (Completion of Partial Fill).
348-HK	BASIS OF CALCULATION–FLAT SALES TAX		RW	<i>Imp Guide:</i> Required if Dispensing Status (343-HD) on submission is "P" (Partial Fill) or "C" (Completion of Partial Fill) and Flat Sales Tax Amount Paid (558-AW) is greater than zero (Ø).
349-HM	BASIS OF CALCULATION–PERCENTAGE SALES TAX		RW	<i>Imp Guide:</i> Required if Dispensing Status (343-HD) on submission is "P" (Partial Fill) or "C" (Completion of Partial Fill) and Percentage Sales Tax Amount Paid (559-AX) is greater than zero (Ø).
571-NZ	AMOUNT ATTRIBUTED TO PROCESSOR FEE		RW	<i>Imp Guide:</i> Required if the customer is responsible for 1ØØ% of the prescription payment and when the provider net sale is less than the amount the customer is expected to pay.
575-EQ	PATIENT SALES TAX AMOUNT		RW	<i>Imp Guide:</i> Used when necessary to identify the Patient's portion of the Sales Tax.
574-2Y	PLAN SALES TAX AMOUNT		RW	<i>Imp Guide:</i> Used when necessary to identify the Plan's portion of the Sales Tax.
572-4U	AMOUNT OF COINSURANCE		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes coinsurance as patient financial responsibility.
573-4V	BASIS OF CALCULATION-COINSURANCE		RW	<i>Imp Guide:</i> Required if Dispensing Status (343-HD) on submission is "P" (Partial Fill) or "C" (Completion of Partial Fill).



	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
392-MU	BENEFIT STAGE COUNT	Maximum count of 4.	RW	<i>Imp Guide:</i> Required if Benefit Stage Amount (394-MW) is used.
393-MV	BENEFIT STAGE QUALIFIER		RW	<i>Imp Guide:</i> Required if Benefit Stage Amount (394-MW) is used.
394-MW	BENEFIT STAGE AMOUNT		RW	<i>Imp Guide:</i> Required when a Medicare Part D payer applies financial amounts to Medicare Part D beneficiary benefit stages. This field is required when the plan is a participant in a Medicare Part D program that requires reporting of benefit stage specific financial amounts. Required if necessary for state/federal/regulatory agency programs.
577-G3	ESTIMATED GENERIC SAVINGS		RW	<i>Imp Guide:</i> This information should be provided when a patient selected the brand drug and a generic form of the drug was available. It will contain an estimate of the difference between the cost of the brand drug and the generic drug, when the brand drug is more expensive than the generic.
133-UJ	AMOUNT ATTRIBUTED TO PROVIDER NETWORK SELECTION		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (505-F5) includes an amount that is attributable to a cost share differential due to the selection of one pharmacy over another
134-UK	AMOUNT ATTRIBUTED TO PRODUCT SELECTION/BRAND DRUG		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (505-F5) includes an amount that is attributable to a patient's selection of a Brand drug.
135-UM	AMOUNT ATTRIBUTED TO PRODUCT SELECTION/NON-PREFERRED FORMULARY SELECTION		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (505-F5) includes an amount that is attributable to a patient's selection of a non-preferred formulary product.



	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
136-UN	AMOUNT ATTRIBUTED TO PRODUCT SELECTION/BRAND NON-PREFERRED FORMULARY SELECTION		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (505-F5) includes an amount that is attributable to a patient's selection of a Brand non-preferred formulary product.
137-UP	AMOUNT ATTRIBUTED TO COVERAGE GAP		RW	<i>Imp Guide:</i> Required when the patient's financial responsibility is due to the coverage gap.

	Response Coordination of Benefits/Other Payers Segment Segment Identification (111-AM) = "28"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
355-NT	OTHER PAYER ID COUNT	Maximum count of 3.	M	
338-5C	OTHER PAYER COVERAGE TYPE		M	
339-6C	OTHER PAYER ID QUALIFIER		RW	<i>Imp Guide:</i> Required if Other Payer ID (340-7C) is used.
340-7C	OTHER PAYER ID		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits.
991-MH	OTHER PAYER PROCESSOR CONTROL NUMBER		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits.
356-NU	OTHER PAYER CARDHOLDER ID		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits.
992-MJ	OTHER PAYER GROUP ID		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits.
142-UV	OTHER PAYER PERSON CODE		RW	<i>Imp Guide:</i> Required if needed to uniquely identify the family members within the Cardholder ID, as assigned by the other payer.
127-UB	OTHER PAYER HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number of the other payer to the receiver.



Response DUR/PPS Segment	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	

	Response DUR/PPS Segment Segment Identification (111-AM) = "24"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
567-J6	DUR/PPS RESPONSE CODE COUNTER	Maximum 9 occurrences supported.	RW	<i>Imp Guide:</i> Required if Reason For Service Code (439-E4) is used.
439-E4	REASON FOR SERVICE CODE		RW	<i>Imp Guide:</i> Required if utilization conflict is detected.
528-FS	CLINICAL SIGNIFICANCE CODE		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.
529-FT	OTHER PHARMACY INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.
530-FU	PREVIOUS DATE OF FILL		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. Required if Quantity of Previous Fill (531-FV) is used.
531-FV	QUANTITY OF PREVIOUS FILL		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. Required if Previous Date Of Fill (530-FU) is used.
532-FW	DATABASE INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.
533-FX	OTHER PRESCRIBER INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.
544-FY	DUR FREE TEXT MESSAGE		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.
570-NS	DUR ADDITIONAL TEXT		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.



*****CLAIM BILLING/CLAIM REBILL ACCEPTED/REJECTED RESPONSE*****

Response TRANSACTION HEADER Segment	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	

	Response Transaction Header Segment			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B1, B3	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response MESSAGE Segment	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	

	Response Message Segment Segment Identification (111-AM) = "20"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	MESSAGE		RW	Imp Guide: Required if text is needed for clarification or detail.

Response STATUS Segment	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
503-F3	AUTHORIZATION NUMBER		RW	Imp Guide: Required if needed to identify the transaction.
510-FA	REJECT COUNT	Maximum count of 5.	R	



	Response Status Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	<i>Imp Guide:</i> Required if a repeating field is in error, to identify repeating field occurrence.
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 5	RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail.
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	<i>Imp Guide:</i> Required if Help Desk Phone Number (550-8F) is used.
550-8F	HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver.

Response CLAIM Segment	Check	Claim Billing/Claim Rebill Accepted/Rejected <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

	Response Claim Segment Identification (111-AM) = "22"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	<i>Imp Guide:</i> For Transaction Code of "B1", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	



Response COB/OTHER PAYERS Segment	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	

Response Coordination of Benefits/Other Payers Segment Identification (111-AM) = "28"				Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
355-NT	OTHER PAYER ID COUNT	Maximum count of 3.	M	
338-5C	OTHER PAYER COVERAGE TYPE		M	
339-6C	OTHER PAYER ID QUALIFIER		RW	<i>Imp Guide:</i> Required if Other Payer ID (340-7C) is used.
340-7C	OTHER PAYER ID		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits.
991-MH	OTHER PAYER PROCESSOR CONTROL NUMBER		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits.
356-NU	OTHER PAYER CARDHOLDER ID		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits.
992-MJ	OTHER PAYER GROUP ID		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits.
142-UV	OTHER PAYER PERSON CODE		RW	<i>Imp Guide:</i> Required if needed to uniquely identify the family members within the Cardholder ID, as assigned by the other payer.
127-UB	OTHER PAYER HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number of the other payer to the receiver.

Response DUR/PPS Segment	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	

Response DUR/PPS Segment Identification (111-AM) = "24"				Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
567-J6	DUR/PPS RESPONSE CODE COUNTER	Maximum 9 occurrences supported.	RW	<i>Imp Guide:</i> Required if Reason For Service Code (439-E4) is used.



Pharmacy Data Management, Inc.
 8530 Crossroads Drive
 Pharmacy Data Management, Inc.
 8530 Crossroads Drive
 Poland, Ohio 44514

	Response DUR/PPS Segment Identification (111-AM) = "24"			Claim Billing/Claim Rebill Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
439-E4	REASON FOR SERVICE CODE		RW	<i>Imp Guide:</i> Required if utilization conflict is detected.
528-FS	CLINICAL SIGNIFICANCE CODE		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.
529-FT	OTHER PHARMACY INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.
53Ø-FU	PREVIOUS DATE OF FILL		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. Required if Quantity of Previous Fill (531-FV) is used.
531-FV	QUANTITY OF PREVIOUS FILL		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. Required if Previous Date Of Fill (53Ø-FU) is used.
532-FW	DATABASE INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.
533-FX	OTHER PRESCRIBER INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.
544-FY	DUR FREE TEXT MESSAGE		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.
57Ø-NS	DUR ADDITIONAL TEXT		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.

1.1.1 CLAIM BILLING/CLAIM REBILL REJECTED/REJECTED RESPONSE

CLAIM BILLING/CLAIM REBILL REJECTED/REJECTED RESPONSE

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

	Response Transaction Header Segment			Claim Billing/Claim Rebill Rejected/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	



Response Transaction Header Segment				Claim Billing/Claim Rebill Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
103-A3	TRANSACTION CODE	B1, B3	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	R = Rejected	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	

Response Message Segment Identification (111-AM) = "20"				Claim Billing/Claim Rebill Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	MESSAGE		R	<i>Imp Guide:</i> Required if text is needed for clarification or detail.

Response Status Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected If Situational, Payer Situation
This Segment is always sent	X	

Response Status Segment Identification (111-AM) = "21"				Claim Billing/Claim Rebill Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
503-F3	AUTHORIZATION NUMBER		RW	<i>Imp Guide:</i> Required if needed to identify the transaction.
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	<i>Imp Guide:</i> Required if a repeating field is in error, to identify repeating field occurrence.
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 5.	RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.



	Response Status Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail.
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	<i>Imp Guide:</i> Required if Help Desk Phone Number (550-8F) is used.
550-8F	HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver.

**** End of Response Claim Billing/Claim Rebill (B1/B3) Payer Sheet Template****

2. NCPDP VERSION D CLAIM REVERSAL TEMPLATE

2.1 REQUEST CLAIM REVERSAL PAYER SHEET TEMPLATE

**** Start of Request Claim Reversal (B2) Payer Sheet Template****

Question	Answer
What is your reversal window? (If transaction is billed today what is the timeframe for reversal to be submitted?)	120 DAYS

CLAIM REVERSAL TRANSACTION

The following lists the segments and fields in a Claim Reversal Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.0*.



Transaction Header Segment Questions	Check	Claim Reversal If Situational, Payer Situation
This Segment is always sent	X	
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Payer Issued		
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Switch/VAN issued		
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Not used	X	

Field #	Transaction Header Segment NCPDP Field Name	Value	Payer Usage	Claim Reversal Payer Situation
1Ø1-A1	BIN NUMBER	If more than one BIN/PCN but all plans use the <u>same segments and fields and situations</u> , enter multiple BIN/PCNs under General Information above.	M	
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	B2	M	
1Ø4-A4	PROCESSOR CONTROL NUMBER		M	
1Ø9-A9	TRANSACTION COUNT	1	M	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	01	M	
2Ø1-B1	SERVICE PROVIDER ID	NPI	M	
4Ø1-D1	DATE OF SERVICE		M	
11Ø-AK	SOFTWARE VENDOR/CERTIFICATION ID		M	

Claim Segment Questions	Check	Claim Reversal If Situational, Payer Situation
This Segment is always sent	X	

Field #	Claim Segment Segment Identification (111-AM) = "Ø7"	NCPDP Field Name	Value	Payer Usage	Claim Reversal Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER			M	Imp Guide: For Transaction Code of "B2", in the Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER			M	



Claim Segment Identification (111-AM) = "Ø7"				Claim Reversal
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
436-E1	PRODUCT/SERVICE ID QUALIFIER		M	
4Ø7-D7	PRODUCT/SERVICE ID		M	
4Ø3-D3	FILL NUMBER		RW	<i>Imp Guide:</i> Required if needed for reversals when multiple fills of the same Prescription/Service Reference Number (4Ø2-D2) occur on the same day.
3Ø8-C8	OTHER COVERAGE CODE		RW	<i>Imp Guide:</i> Required if needed by receiver to match the claim that is being reversed.

Coordination of Benefits/Other Payments Segment Identification (111-AM) = "Ø5"				Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
337-4C	COORDINATION OF BENEFITS/OTHER PAYMENTS COUNT	Maximum count of 5	M	Scenario 2- Other Payer-Patient Responsibility Amount Repetitions and Benefit Stage Repetitions Only
338-5C	OTHER PAYER COVERAGE TYPE		M	

**** End of Request Claim Reversal (B2) Payer Sheet Template****

2.2 RESPONSE CLAIM REVERSAL PAYER SHEET TEMPLATE

2.2.1 CLAIM REVERSAL ACCEPTED/APPROVED RESPONSE

**** Start of Claim Reversal Response (B2) Payer Sheet Template****

CLAIM REVERSAL ACCEPTED/APPROVED RESPONSE

The following lists the segments and fields in a Claim Reversal response (Approved) Transaction for the NCPDP Telecommunication Standard Implementation Guide Version D.Ø.



Response Transaction Header Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, Payer Situation
This Segment is always sent	X	

Field #	Response Transaction Header Segment NCPDP Field Name	Value	Payer Usage	Claim Reversal – Accepted/Approved Payer Situation
102-A2	VERSION/RELEASE NUMBER	D0	M	
103-A3	TRANSACTION CODE	B2	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Header Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, Payer Situation
This Segment is always sent	X	
This Segment is situational		

Field #	Response Message Segment Segment Identification (111-AM) = "20"	Value	Payer Usage	Claim Reversal – Accepted/Approved Payer Situation
504-F4	MESSAGE		R	<i>Imp Guide:</i> Required if text is needed for clarification or detail.

Response Status Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, Payer Situation
This Segment is always sent	X	

Field #	Response Status Segment Segment Identification (111-AM) = "21"	Value	Payer Usage	Claim Reversal – Accepted/Approved Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	A = Approved	M	
503-F3	AUTHORIZATION NUMBER		RW	<i>Imp Guide:</i> Required if needed to identify the transaction.
547-5F	APPROVED MESSAGE CODE COUNT	Maximum count of 5.	RW	<i>Imp Guide:</i> Required if Approved Message Code (548-6F) is used.



Response Status Segment Identification (111-AM) = "21"				Claim Reversal – Accepted/Approved
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
548-6F	APPROVED MESSAGE CODE		RW	<i>Imp Guide:</i> Required if Approved Message Code Count (547-5F) is used and the sender needs to communicate additional follow up for a potential opportunity.
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 5	RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail.
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	<i>Imp Guide:</i> Required if Help Desk Phone Number (550-8F) is used.
550-8F	HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver.

Response Claim Segment Questions	Check	Claim Reversal – Accepted/Approved <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

Response Claim Segment Identification (111-AM) = "22"				Claim Reversal – Accepted/Approved
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	<i>Imp Guide:</i> For Transaction Code of "B2", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	



2.2.2 CLAIM REVERSAL ACCEPTED/REJECTED RESPONSE

CLAIM REVERSAL ACCEPTED/REJECTED RESPONSE

Response Transaction Header Segment Questions	Check	Claim Reversal - Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

	Response Transaction Header Segment			Claim Reversal – Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B2	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Reversal - Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent		
This Segment is situational	X	

	Response Message Segment Segment Identification (111-AM) = "20"			Claim Reversal – Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	MESSAGE		R	<i>Imp Guide:</i> Required if text is needed for clarification or detail.

Response Status Segment Questions	Check	Claim Reversal - Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Reversal – Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
503-F3	AUTHORIZATION NUMBER		R	
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	



	Response Status Segment Identification (111-AM) = "21"			Claim Reversal – Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	<i>Imp Guide:</i> Required if a repeating field is in error, to identify repeating field occurrence.
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 5.	RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail.
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	<i>Imp Guide:</i> Required if Help Desk Phone Number (550-8F) is used.
550-8F	HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver.

Response Claim Segment Questions	Check	Claim Reversal - Accepted/Rejected <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

	Response Claim Segment Identification (111-AM) = "22"			Claim Reversal – Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	<i>Imp Guide:</i> For Transaction Code of "B2", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	



2.2.3 CLAIM REVERSAL REJECTED/REJECTED RESPONSE

CLAIM REVERSAL REJECTED/REJECTED RESPONSE

Response Transaction Header Segment Questions	Check	Claim Reversal - Rejected/Rejected If Situational, Payer Situation
This Segment is always sent	X	

	Response Transaction Header Segment			Claim Reversal – Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B2	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Reversal – Rejected/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	

	Response Message Segment Segment Identification (111-AM) = "20"			Claim Reversal – Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	MESSAGE		R	Imp Guide: Required if text is needed for clarification ordetail.

Response Status Segment Questions	Check	Claim Reversal - Rejected/Rejected If Situational, Payer Situation
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Reversal – Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
503-F3	AUTHORIZATION NUMBER		R	
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	



	Response Status Segment Segment Identification (111-AM) = "21"			Claim Reversal – Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	<i>Imp Guide:</i> Required if a repeating field is in error, to identify repeating field occurrence.
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail.
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	<i>Imp Guide:</i> Required if Help Desk Phone Number (550-8F) is used.
550-8F	HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver.

**** End of Claim Reversal (B2) Response Payer Sheet Template ****